	Application No.	Applicant(s)	A
Notice of Allowability	10/660,753	ISHII, JUNYA	•
	Examiner	Art Unit	
	Lee, Calvin	2825	
The MAILING DATE of this communication ap All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOL- NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	IS (OR REMAINS) CLOSED in 85) or other appropriate common RIGHTS. This application is s	n this application. If not including the unication will be mailed in d	uded ue course. THIS
1. This communication is responsive to,			
2. 🔀 The allowed claim(s) is/are <u>4-11</u> .			
3. The drawings filed on are accepted by the Exam	iner.		
 4. Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: 1. Certified copies of the priority documents h 2. Certified copies of the priority documents h 3. Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	ave been received. ave been received in Applicatio	on No. <u>09/960,380</u> .	ication from the
Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the	requirements
5. A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which (r NOTICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") r (a) ☐ including changes required by the Notice of Draftsp 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☑ including changes required by the attached Examin Paper No./Mail Date hereto. Identifying indicia such as the application number (see 37 CF each sheet. Replacement sheet(s) should be labeled as such	erson's Patent Drawing Review er's Amendment / Comment or R 1.84(c)) should be written on the the header according to 37 CF	n the Office action of the drawings in the front (not R 1.121(d).	·
 DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREMEN 			J. Note the
Attachm nt(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-94) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/S Paper No./Mail Date 9/12/04) 4. ☐ Examiner's Comment Regarding Requirement for Depos of Biological Material	8) 6. ☐ Interview S Paper No./ B/08), 7. ☒ Examiner's	formal Patent Application (I ummary (PTO-413), /Mail Date Amendment/Comment Statement of Reasons for /	

Page 2

Docket No: NEC2320-USDIV

OFFICE ACTION

Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312.

IN THE SPECIFICATION:

Page 1, line 7, after "filed on September 24, 2001" inserted -- and issued as US Patent 6,653,729--

IN THE DRAWING:

Replaced "1: CONNECTION PART" with --15: CONNECTION PART--

IN THE CLAIMS:

Claim 4 line 20 and claim 5 line 10, replaced "said connection part" with --said connection parts--

Allowable Subject Matter

Claims 4-11 are allowed. Following is the reason for allowance:

The prior art, Tsai et al '970, does not teach or suggest, inter alia, a plurality of split-shaped trenches arranged parallel to each other and formed within an interlayer insulation film provided between a first interconnect layer and a second interconnect layer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance.

Any inquiry concerning this communication from the Examiner should be directed to Calvin Lee at (571) 272-1896 from 7:00 to 17:00 (Monday-Thursday). If attempts to reach the examiner by telephone are unsuccessful, Art Unit 2825's Supervisory Patent Examiner Matthew Smith can be reached at (571) 272-1907.

Any inquiry relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0596. The central fax number is (703) 872-9306 for all communications to be entered (e.g., amendments, remarks, IDS, etc.)

June 20, 2004

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800